Author Index of Volume 42

Albert, L., 11
Alderucci, V., 365

Beketaeva, L. A., 377
Bied-Charreton, B., 331
Böhnstedt, W., 211
Bonnet, J., 185

Caillerie, J. L., 11
Calasanzio, D., 247
Cecchinato, G., 247
Chaumont, B., 11
Chen, Z. W., 35
Claudel, J. L., 261
Cooper, A., 269
Cranswick, L. M. D., 55

Dakhouche, A., 71
Davis, W., 11
De Feraudy, H., 315
De Guibert, A., 11
Dewar, M. J., 47
Dietz, H., 89
Di Leonardo, R., 365
Döring, H., 89
Dunckley, M., 291

Gerasimov, A. G., 277
Gillian, W. F., 35
Giordano, N., 365
Giwa, C. O., 389

Hawkins, P., 299
Höhn, R., 11
Hollenkamp, A. F., 119

Johnson, R. T., 237

Kwaśnik, J., 165

Laganà, M., 365
Lam, L. T., 55
Leonov, V. N., 277

Marchetto, M., 247
May, G. J., 147
Meissner, E., 103
Milewski, J. D., 165
Moreau, G., 283
Moseley, P. T., 119

Nauer, G. E., 137
Neckel, A., 137

Okamoto, H., 221
Ozgun, H., 55

Passalacqua, E., 365
Pavlov, D., 71, 345
Peat, R., 119
Peters, K., 155
Pierson, J. R., 237
Prengaman, R. D., 25
Pukacka, T., 165

Radwan, M., 89
Ramus, K., 299
Rand, D. A. J., 55, 119
Recupero, V., 365
Rethinaraj, J.-P., 335
Rice, D. M., 35
Richter, J., 231
Robinson, R. S., 381
Rogachev, T., 71
Ruetschi, P., 1
Rusin, A. I., 277
Rybalka, K. V., 377

See, J. B., 35
Sheppelman, T., 185
Shiomi, M., 173
Sklarchuk, J., 47
Stephany, J.-M., 185
Szcześniak, B., 165

Takahashi, K., 173
Takahasi, K., 221
Trettenhahn, G. L. J., 137
Tsubota, M., 173

Ueberschaer, A., 11

Valeriote, E. M., 47
Vincze, A. M., 47
Visvanathan, S., 335
Volinkin, V. T., 277

Weighall, M. J., 11
Wiesener, K., 89
Wilson, D. N., 319
Witehira, P., 195

Yasuda, H., 221
Yonezu, K., 221

Subject Index of Volume 42

Age hardening
age hardening of a Pb–0.1wt.%Ca–0.3wt.%Sn alloy and the effects of heat during battery manufacturing on this process, 35
Alloys
age hardening of a Pb–0.1wt.%Ca–0.3wt.%Sn alloy and the effects of heat during battery manufacturing on this process, 35
in situ Fourier-transform infrared investigations of lead electrodes in sulfuric acid: formation of lead sulfate on lead and lead alloys, 137
Aluminium
anodic dissolution of aluminium in nonaqueous electrolytes, 377
Anodic dissolution
anodic dissolution of aluminium in nonaqueous electrolytes, 377
Antimony
low-antimony lead-alloy expanded grids. Preliminary performance data, 47
influence of antimony on the electrochemical behaviour and the structure of the lead dioxide active mass of lead/acid batteries, 71
Automotive batteries
how the systems approach is determining automotive battery design and use, 185
intelligent automotive battery systems, 195
microporous polyethylene separators – today and tomorrow. Separator development trends for modern automotive batteries, 211
improvement of bench life-tests for automotive batteries, 231
development of automotive battery systems capable of surviving modern underhood environments, 237
development of a valve-regulated lead/acid battery for automotive use, 247
Battery design
how the systems approach is determining automotive battery design and use, 185
Battery grids
a photocurrent imaging study of the distribution of lead monoxide in corrosion layers on lead/acid battery grids, 119
Battery manufacture
age hardening of a Pb–0.1wt.%Ca–0.3wt.%Sn alloy and the effects of heat during battery manufacturing on this process, 35
present and future of lead/acid battery manufacture in the Commonwealth of Independent States (formerly the USSR), 277
Battery performance
on the hydrogen balance in sealed lead/acid batteries and its effect on battery performance, 89
Battery plates
pulsed-current formation of tetrabasic lead sulfate in cured lead/acid battery plates, 55
Battery technology
energy storage and the environment: the role of battery technology, 1
Bench life-tests
improvement of bench life-tests for automotive batteries, 231

Calcium
age hardening of a Pb–0.1wt.%Ca–0.3wt.%Sn alloy and the effects of heat during battery manufacturing on this process, 35
techniques to reduce failure in lead–calcium batteries using expanded type grids, 221
Corrosion layers
a photocurrent imaging study of the distribution of lead monoxide in corrosion layers on lead/acid battery grids, 119

Electric vehicles
electric vehicles – are they a realistic option for the future?, 291
Electrochemical behaviour
influence of antimony on the electrochemical behaviour and the structure of the lead dioxide active mass of lead/acid batteries, 71
Electrochemistry
investigations into the electrochemistry of recombinant, sealed lead/acid batteries, 165
Electrodes
calculation of potential distribution and voltage drop at electrodes on high-rate discharge: literature survey and computer-aided approach, 103
in situ Fourier-transform infrared investigations of lead electrodes in sulfuric acid: formation of lead sulfate on lead and lead alloys, 137
Electrolytes
anodic dissolution of aluminium in nonaqueous electrolytes, 377
feasibility study of sulphone-based electrolytes for a medium-temperature reserve cell concept, 389
Electrolytic manganese dioxide
preparation and properties of electrolytic manganese dioxide: a review, 335
Energy storage
energy storage and the environment: the role of battery technology, 1
Environment
energy storage and the environment: the role of battery technology, 1
Expanded type grids
techniques to reduce failure in lead–calcium batteries using expanded type grids, 221

FT–IR spectroscopy
in situ Fourier-transform infrared investigations of lead electrodes in sulfuric acid: formation of lead sulfate on lead and lead alloys, 137

Hydrogen balance
on the hydrogen balance in sealed lead/acid batteries and its effect on battery performance, 89

Impedance measurements
system noise as a signal source for impedance measurements on batteries connected to operating equipment, 381
Isasmelt process
lead/acid battery recycling and the new Isasmelt process, 299

Lead
use of secondary lead for new generations of lead/acid batteries, 11
metallurgy of recycled lead for recombinant batteries, 25
age hardening of a Pb–0.1wt.%Ca–0.3wt.%Sn alloy and the effects of heat during battery manufacturing on this process, 35
in situ Fourier-transform infrared investigations of lead electrodes in sulfuric acid: formation of lead sulfate on lead and lead alloys, 137
Lead/acid batteries
use of secondary lead for new generations of lead/acid batteries, 11
pulsed-current formation of tetrabasic lead sulfate in cured lead/acid battery plates, 55
influence of antimony on the electrochemical behaviour and the structure of the lead dioxide active mass of lead/acid batteries, 71
on the hydrogen balance in sealed lead/acid batteries and its effect on battery performance, 89
a photocurrent imaging study of the distribution of lead monoxide in corrosion layers on lead/acid battery grids, 119
meeting European requirements with advanced designs of valve-regulated lead/acid batteries, 147
influence of separator structure on the performance of valve-regulated batteries, 155
investigations into the electrochemistry of recombinant, sealed lead/acid batteries, 165
valve-regulated lead/acid batteries with granular silica, 173
development of a valve-regulated lead/acid battery for automotive use, 247
present and future of lead/acid battery manufacture in the Commonwealth

of Independent States (formerly the USSR), 277
towards the year 2000 — the prospects for lead/acid batteries in Europe, 283
lead/acid battery recycling and the new Isasmelt process, 299
recycling the plastic components in today's lead/acid battery, 315
closed loop recycling of lead/acid batteries, 331
premature capacity loss (PCL) of the positive lead/acid battery plate: a new concept to describe the phenomenon, 345
system noise as a signal source for impedance measurements on batteries connected to operating equipment, 381
Lead/acid battery industry
the European lead/acid battery industry, 261
the changing structure of the lead/acid battery industry in Europe, 269
Lead alloys
low-antimony lead-alloy expanded grids. Preliminary performance data, 47
Lead–calcium batteries
techniques to reduce failure in lead–calcium batteries using expanded type grids, 221
Lead dioxide
influence of antimony on the electrochemical behaviour and the structure of the lead dioxide active mass of lead/acid batteries, 71
Lead monoxide
a photocurrent imaging study of the distribution of lead monoxide in corrosion layers on lead/acid battery grids, 119
Lead sulfate
pulsed-current formation of tetrabasic lead sulfate in cured lead/acid battery plates, 55
Lithium cells
feasibility study of sulphone-based electrolytes for a medium-temperature reserve cell concept, 389

Manganese dioxide
preparation and properties of electrolytic manganese dioxide: a review, 335

Operating conditions
influence of the operating conditions and of the ageing upon the electrochemical performance of a phosphoric acid fuel cell, 365

Phosphoric acid fuel cells
influence of the operating conditions and of the ageing upon the electrochemical performance of a phosphoric acid fuel cell, 365
Photocurrent imaging
a photocurrent imaging study of the distribution of lead monoxide in corrosion layers on lead/acid battery grids, 119
Plastic components
recycling the plastic components in today's lead/acid battery, 315
Polyethylene
microporous polyethylene separators — today and tomorrow. Separator development trends for modern automotive batteries, 211
Potential distribution
calculation of potential distribution and voltage drop at electrodes on high-rate discharge: literature survey and computer-aided approach, 103
Premature capacity loss
premature capacity loss (PCL) of the positive lead/acid battery plate: a new concept to describe the phenomenon, 345
Pulsed-current formation
pulsed-current formation of tetrabasic lead sulfate in cured lead/acid battery plates, 55

Recombinant batteries
metallurgy of recycled lead for recombinant batteries, 25
Recycling
lead/acid battery recycling and the new Isasmelt process, 299
recycling the plastic components in today's lead/acid battery, 315
closed loop recycling of lead/acid batteries, 331

Scrap batteries
new approaches to the collection of scrap batteries, 319

Separators
microporous polyethylene separators – today and tomorrow. Separator development trends for modern automotive batteries, 211
Separator structure
influence of separator structure on the performance of valve-regulated batteries, 155
Silica
valve-regulated lead/acid batteries with granular silica, 173
Sulphones
feasibility study of sulphone-based electrolytes for a medium-temperature reserve cell concept, 389
System noise
system noise as a signal source for impedance measurements on batteries connected to operating equipment, 381

Telecommunications
system noise as a signal source for impedance measurements on batteries connected to operating equipment, 381
Tin
age hardening of a Pb–0.1wt.%Ca–0.3wt.%Sn alloy and the effects of heat during battery manufacturing on this process, 35

Valve-regulated lead/acid batteries (VRLA)
meeting European requirements with advanced designs of valve-regulated lead/acid batteries, 147
influence of separator structure on the performance of valve-regulated batteries, 155
valve-regulated lead/acid batteries with granular silica, 173
development of a valve-regulated lead/acid battery for automotive use, 247
Voltage drop
calculation of potential distribution and voltage drop at electrodes on high-rate discharge: literature survey and computer-aided approach, 103